

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **anti-GFP (Alexa Fluor 594), IgG2a kappa, Clone: RQ2, Rat, Monoclonal, Rt MBL-D153-A59B**

|                          |  |
|--------------------------|--|
| Artikelname              | anti-GFP (Alexa Fluor 594), IgG2a kappa, Clone: RQ2, Rat, Monoclonal, Rt           |
| Artikelnummer            | MBL-D153-A59B  |
| Hersteller Artikelnummer | D153-A59B  |
| Alternativnummer         | MBL-D153-A59B  |
| Hersteller               | MBL  |
| Wirt                     | Rt   |
| Kategorie                | Antikörper   |
| Applikation              | ICC  |
| Immunogen                | GFP was affinity-purified anti-GFP by using a mouse from 293T cells expressing GFP |
| Produktbeschreibung      | anti-GFP (Alexa Fluor 594), IgG2a kappa, Clone: RQ2, Rat, Monoclonal, Rt...        |
| Klonalität               | Monoclonal   |
| Konzentration            | 1 mg/mL  |
| Klon-Bezeichnung         | RQ2  |
| Isotyp                   | IgG2a kappa  |

|                        |   |
|------------------------|---|
| Quelle                 | This antibody was purified from hybridoma (clone RQ2) supernatant using protein G agarose. This hybridoma was established by fusion of mouse myeloma cell PAI with Wistar rat lymph node immunized with GFP purified from GFP expressed 293T cells by affinity        |
| Formulierung           | 10 µg IgG in 10 µl volume of PBS containing 1% BSA and 0.09% NaN <sub>3</sub> . *Azide may react with copper or lead in plumbing system to form explosive metal azides. Therefore, always flush plenty of water when disposing materials containing azide into drain. |
| Lagerung               | 2°C to 8°C  |
| Formel                 | 10 µg IgG in 10 µl volume of PBS containing 1% BSA and 0.09% NaN <sub>3</sub> . *Azide may react with copper or lead in plumbing system to form explosive metal azides. Therefore, always flush plenty of water when disposing materials containing azide into drain. |
| Target-Kategorie       | GFP   |
| Kommentar              | For Research Use Only. Not for use in diagnostic procedures.  |
| Application Verdünnung | ICC: 2-5 µg/mL *This antibody is not suitable for alcohol fixation such as ethanol or methanol.   |