

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Mouse anti Human CD4, IgG1, Clone: [7E14], Unconjugated, Monoclonal NMB-0041

|                          |   |
|--------------------------|---|
| Artikelname              | Mouse anti Human CD4, IgG1, Clone: [7E14], Unconjugated, Monoclonal   |
| Artikelnummer            | NMB-0041  |
| Hersteller Artikelnummer | 0041  |
| Alternativnummer         | NMB-0041  |
| Hersteller               | NordicMubio   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FC  |
| Spezies Reaktivität      | Human   |
| Immunogen                | Derived from the hybridization of mouse NS-1 myeloma cells with spleen cells from BALB/c mice immunized with human peripheral blood T lymphocytes.                |
| Konjugation              | Unconjugated  |
| Produktbeschreibung      | Identification of human helper/inducer T cells expressing the 60,000 M.W. surface antigen (HLA class II reactive). CD4 is present in low density on monocytes.... |
| Klonalität               | Monoclonal  |
| Konzentration            | See vial for concentration  |
| Klon-Bezeichnung         | [7E14]  |

|                        |  |
|------------------------|--|
| Isotyp                 | IgG1   |
| UniProt                | <a href="#">P01730</a>   |
| Puffer                 | Provided as solution in phosphate buffered saline with 0.08% sodium azide  |
| Reinheit               | Protein A/G Chromatography   |
| Formel                 | Provided as solution in phosphate buffered saline with 0.08% sodium azide  |
| Anwendungsbeschreibung | PBMC: Add 10 µl of MAB/10 PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8°C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze.<br>WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently an |