

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Mouse anti Human CD8, conjugated with PE, IgG1, Clone: [17D8], RPE, Monoclonal NMB-0084

|                          |   |
|--------------------------|---|
| Artikelname              | Mouse anti Human CD8, conjugated with PE, IgG1, Clone: [17D8], RPE, Monoclonal  |
| Artikelnummer            | NMB-0084  |
| Hersteller Artikelnummer | 0084  |
| Alternativnummer         | NMB-0084  |
| Hersteller               | NordicMubio   |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FC  |
| Spezies Reaktivität      | Human   |
| Immunogen                | CD8=Derived from the hybridization of mouse NS-1 myeloma cells with spleen cells from BALB/c mice immunized with human perherial blood T lymphocytes. |
| Konjugation              | RPE   |
| Produktbeschreibung      | Identification of human T cells suppressor/cytotoxic expressing the 32 kDa M.W. surface antigen....   |
| Klonalität               | Monoclonal  |
| Konzentration            | Titered for flow cytometry  |
| Klon-Bezeichnung         | [17D8]  |

|                        |   |
|------------------------|---|
| Isotyp                 | IgG1  |
| UniProt                | <a href="#">P01732</a>  |
| Puffer                 | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein  |
| Reinheit               | Protein A/G Chromatography  |
| Formel                 | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein  |
| Anwendungsbeschreibung | PBMC: Add 10 µl of MAB/10 <sup>6</sup> PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8°C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently |