

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse anti Human CD16, conjugated with Biotin, IgG1, Clone: [J5511], Monoclonal NMB-0163

| | |
|--------------------------|---|
| Artikelname | Mouse anti Human CD16, conjugated with Biotin, IgG1, Clone: [J5511], Monoclonal |
| Artikelnummer | NMB-0163 |
| Hersteller Artikelnummer | 0163 |
| Alternativnummer | NMB-0163 |
| Hersteller | NordicMubio |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC |
| Spezies Reaktivität | Human |
| Immunogen | CD16=Derived from the hybridization of mouse P3-X63-Ag8.653 myeloma cells with spleen cells of BALB/c mice immunized with NK lymphocytes |
| Konjugation | Biotin |
| Produktbeschreibung | Identification of human NK cell antigen expressing the 50 -70 kDa M.W. surface antigen associated with the IgG Fc receptor III on NK cells and Neutrophils. CD16 is expressed on approximately 15% of peripheral blood lymphocytes and is present on all r... |
| Klonalität | Monoclonal |
| Konzentration | Titered for flow cytometry |

| | |
|------------------------|--|
| Klon-Bezeichnung | [J5511] |
| Isotyp | IgG1 |
| UniProt | Q9ULV2 |
| Puffer | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Reinheit | Protein A/G Chromatography |
| Formel | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Anwendungsbeschreibung | <p>PBMC: Add 10 µl of MAB/10 6 PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8 C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze.</p> <p>WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently</p> |