

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse anti Human CD4 FITC - HLADR PE, FITC/RPE NMB-B4DRS

| | |
|--------------------------|---|
| Artikelname | Mouse anti Human CD4 FITC - HLADR PE, FITC/RPE |
| Artikelnummer | NMB-B4DRS |
| Hersteller Artikelnummer | B4DRS |
| Alternativnummer | NMB-B4DRS |
| Hersteller | NordicMubio |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC |
| Spezies Reaktivität | Human |
| Immunogen | CD4=Derived from the hybridization of mouse NS-1 myeloma cells with spleen cells from BALB/c mice immunized with human perperial blood T lymphocytes. |
| Konjugation | FITC/RPE |
| Produktbeschreibung | CD4 identifies human helper/inducer T cells expressing the 60,000 M.W. surface antigen (HLA class II reactive). CD4 is present in low density on monocytes. HLA-DR identifies human B cell and T cell subsets associated with approximately 10% of periphe... |
| Konzentration | Titered for flow cytometry |
| UniProt | P01730 |

| | |
|------------------------|--|
| Puffer | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Reinheit | Protein A/G Chromatography |
| Formel | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Anwendungsbeschreibung | PBMC: Add 10 µl of MAB/10 ⁶ PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8°C. Wash twice with PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gently and incubate for 15 minutes at room temperature 20°C. Lyse |