

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mouse anti Human CD8 FITC - CD56 PE, FITC/RPE NMB-0856S

| | |
|--------------------------|--|
| Artikelname | Mouse anti Human CD8 FITC - CD56 PE, FITC/RPE |
| Artikelnummer | NMB-0856S |
| Hersteller Artikelnummer | 0856S |
| Alternativnummer | NMB-0856S |
| Hersteller | NordicMubio |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC |
| Spezies Reaktivität | Human |
| Immunogen | CD8=Derived from the hybridization of mouse NS-1 myeloma cells with spleen cells from BALB/c mice immunized with human perherial blood T lymphocytes.CD56=Derived from the hybridization of mouse Sp2/0 myeloma cells with spleen cells from BALB/c F1 mice im |
| Konjugation | FITC/RPE |
| Produktbeschreibung | CD56, M.W. 150,000, is expressed on approximately 10-25% of human peripheral blood lymphocytes. CD56 (NKH-1) is expressed on human peripheral blood natural killer cells, representing a pan NK-cell antigen. Expressed on non-MHC-restricted cytotoxic T ... |
| Konzentration | Titered for flow cytometry |
| Isotyp | IgG1, IgG2b |

| | |
|------------------------|--|
| UniProt | P01732 |
| Puffer | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Reinheit | Protein A/G Chromatography |
| Formel | Provided as solution in phosphate buffered saline with 0.08% sodium azide and 0.2% carrier protein |
| Anwendungsbeschreibung | PBMC: Add 10 µl of MAB/10 6 PBMC in 100 µl PBS. Mix gently and incubate for 15 minutes at 2 to 8 C. Wash twice with PBS and analyze or fix with 0.5% v/v of paraformaldehyde in PBS and analyze. WHOLE BLOOD: Add 10 µl of MAB/100 µl of whole blood. Mix gen |