

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat anti Human C1s, Clone: [Polyclonal], Monoclonal NMB-GAHU/C1S

| | |
|--------------------------|--|
| Artikelname | Goat anti Human C1s, Clone: [Polyclonal], Monoclonal |
| Artikelnummer | NMB-GAHU/C1S |
| Hersteller Artikelnummer | GAHu/C1s |
| Alternativnummer | NMB-GAHU/C1S |
| Hersteller | NordicMubio |
| Wirt | Goat |
| Kategorie | Antikörper |
| Produktbeschreibung | The reactivity of the antiserum is restricted to C1s. In immunoelectrophoresis and radial immunodiffusion (Ouchterlony), using various antiserum concentrations against fresh normal human plasma a single precipitin line is obtained which shows a react... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |
| UniProt | P09871 |
| Puffer | Delipidated, heat inactivated, lyophilized, stable whole antiserum No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added. Reconstitute the lyophilized a |

| | |
|------------------------|---|
| Quelle | C1 component of human complement is a complex of three glycoproteins: C1q, C1r and C1s. C1s has a molecular weight of 83,000 and is present in plasma in an average concentration of 50 µg/ml, either as a complex with C1q and C1s or in the absence of C1q a |
| Formel | Delipidated, heat inactivated, lyophilized, stable whole antiserum No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of pooled normal goat serum. No foreign proteins added. |
| Anwendungsbeschreibung | Precipitation assays. Dilutions may be prepared by adding phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect |