

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Goat anti Monkey C3c, Clone: [Polyclonal], Monoclonal NMB-GAMON/C3C/7S

|                          |  |
|--------------------------|--|
| Artikelname              | Goat anti Monkey C3c, Clone: [Polyclonal], Monoclonal  |
| Artikelnummer            | NMB-GAMON/C3C/7S   |
| Hersteller Artikelnummer | GAMon/C3c/7S   |
| Alternativnummer         | NMB-GAMON/C3C/7S   |
| Hersteller               | NordicMubio  |
| Wirt                     | Goat   |
| Kategorie                | Antikörper   |
| Produktbeschreibung      | In immunoelectrophoresis against fresh monkey serum, a single precipitin line is obtained in the beta-1 region representing native C3. Against serum containing partly activated C3, a precipitin line is obtained which extends from the beta-1 into the ...  |
| Klonalität               | Monoclonal   |
| Klon-Bezeichnung         | [Polyclonal]   |
| Puffer                   | Purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, spun down to remove insolub |
| Quelle                   | C3c is the major fragment resulting from C3 cleavage by C3 convertase and factor I. It is composed of an intact beta chain bound to two fragments of the alpha chain. C3c is isolated and purified from pooled normal rhesus monkey serum. Friends complete a  |

|                        |  |
|------------------------|--|
| Formel                 | Purified hyperimmune IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2) No preservative added, as it may interfere with the antibody activity. |
| Anwendungsbeschreibung | Indirect immunofluorescence,ELISA,Dot blot,Immunoblotting.   |