

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat anti Rat IgG1 IgG2a IgG2b IgG2c (Fc specific), conjugated with Horseradish peroxidase, Clone: [Polyclonal], HRP, Monoclonal NMB-GARA/IGG(FC)/PO

| | |
|--------------------------|--|
| Artikelname | Goat anti Rat IgG1 IgG2a IgG2b IgG2c (Fc specific), conjugated with Horseradish peroxidase, Clone: [Polyclonal], HRP, Monoclonal |
| Artikelnummer | NMB-GARA/IGG(FC)/PO |
| Hersteller Artikelnummer | GARa/IgG(Fc)/PO |
| Alternativnummer | NMB-GARA/IGG(FC)/PO |
| Hersteller | NordicMubio |
| Wirt | Goat |
| Kategorie | Antikörper |
| Konjugation | HRP |
| Produktbeschreibung | The reactivity of the antiserum is directed to the Fc subunit of the IgG molecule. The antiserum contains antibodies to subclass-specific determinants as well as to determinants shared by two or more subclasses of IgG. In immunoelectrophoresis and do... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |
| Puffer | Horseradish peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distill |

| | |
|------------------------|---|
| Quelle | Purified normal IgG, including all subclasses, isolated from pooled rat serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Formel | Horseradish peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |
| Anwendungsbeschreibung | ELISA, Immunocytochemistry, Immunohistochemistry (paraffin), Dot blot, Immunoblotting. |