

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Goat IgG anti Hamster IgG (heavy and light chains), conjugated with Horseradish peroxidase, Clone: [Polyclonal], HRP, Monoclonal NMB-GAHA/IGG(H+L)/PO

| | |
|--------------------------|---|
| Artikelname | Goat IgG anti Hamster IgG (heavy and light chains), conjugated with Horseradish peroxidase, Clone: [Polyclonal], HRP, Monoclonal |
| Artikelnummer | NMB-GAHA/IGG(H+L)/PO |
| Hersteller Artikelnummer | GAHa/IgG(H+L)/PO |
| Alternativnummer | NMB-GAHA/IGG(H+L)/PO |
| Hersteller | NordicMubio |
| Wirt | Goat |
| Kategorie | Antikörper |
| Applikation | DOT, ELISA, ICC, WB |
| Spezies Reaktivität | Hamster |
| Konjugation | HRP |
| Produktbeschreibung | The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in hamster serum, ... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |

| | |
|------------------------|--|
| Puffer | Peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water, sp |
| Quelle | Goats were immunized with purified normal IgG isolated from pooled hamster serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Formel | Peroxidase-coupled purified hyperimmune goat IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |
| Anwendungsbeschreibung | ELISA, Immunocytochemistry, Immunohistochemistry (paraffin), Dot blot, Immunoblotting. |