

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Rabbit anti Bovine erythrocyte, Clone: [Polyclonal], Monoclonal NMB-RAB/ERY/7S

| | |
|--------------------------|--|
| Artikelname | Rabbit anti Bovine erythrocyte, Clone: [Polyclonal], Monoclonal |
| Artikelnummer | NMB-RAB/ERY/7S |
| Hersteller Artikelnummer | RAB/Ery/7S |
| Alternativnummer | NMB-RAB/ERY/7S |
| Hersteller | NordicMubio |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Produktbeschreibung | To sensitize cells in haemolytic complement assays and for screening of T and T receptor-bearing lymphocytes.... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |
| Puffer | Purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. IgG protein concentration 10 mg/ml. No foreign proteins added. Reconstitute the lyophilized antiserum by adding 1 ml sterile di |
| Quelle | Washed whole erythrocytes were prepared from fresh blood and used for intravenous immunization. Freund's complete adjuvant is used in the first step of the immunization procedure |
| Formel | Purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added. IgG protein concentration 10 mg/ml. No foreign proteins added. |

Anwendungsbeschreibung

Indirect immunofluorescence,ELISA,Dot blot,Immunoblotting.
Haemolytic titre, at which 50% lysis occurs following mixing of equal volumes of antiserum, guinea pig complement (at a 1:60 dilution) and 2% RBC, not less than 1:500 when tested with bovine eryt