

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Rabbit anti Bovine IgG (heavy and light chains), Clone: [Polyclonal], Monoclonal NMB-RAB/IGG(H+L)/7S

| | |
|--------------------------|---|
| Artikelname | Rabbit anti Bovine IgG (heavy and light chains), Clone: [Polyclonal], Monoclonal |
| Artikelnummer | NMB-RAB/IGG(H+L)/7S |
| Hersteller Artikelnummer | RAB/IgG(H+L)/7S |
| Alternativnummer | NMB-RAB/IGG(H+L)/7S |
| Hersteller | NordicMubio |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Produktbeschreibung | The reactivity of the antiserum is directed to the Fc and Fab subunits of the IgG molecule. It includes a certain degree of reactivity with other immunoglobulins via the common Fab portion. It does not react with any non-Ig protein in bovine serum, a... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |
| Puffer | Purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added. It is reconstituted by adding 1 ml sterile distilled |
| Quelle | Purified normal IgG isolated from pooled bovine serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |

| | |
|------------------------|--|
| Formel | Purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. No foreign protein added. |
| Anwendungsbeschreibung | Indirect immunofluorescence,ELISA,Dot blot,Immunoblotting. |