

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Rabbit anti Human anticoagulation Factor IX, Clone: [Polyclonal], Monoclonal NMB-RAHU/FIX

| | |
|--------------------------|--|
| Artikelname | Rabbit anti Human anticoagulation Factor IX, Clone: [Polyclonal], Monoclonal |
| Artikelnummer | NMB-RAHU/FIX |
| Hersteller Artikelnummer | RAHu/FIX |
| Alternativnummer | NMB-RAHU/FIX |
| Hersteller | NordicMubio |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Produktbeschreibung | The defined antibody reactivity is restricted to Factor IX as tested at the level of sensitivity of immuno-precipitation techniques. A single precipitin line is obtained in bidimensional electrophoresis, immunoelectrophoresis and double dial immunodi... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |
| UniProt | P00740 |
| Puffer | Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of normal pooled rabbit serum. No foreign proteins added. It is reconstituted by adding 1 |

| | |
|------------------------|--|
| Quelle | Factor IX is a vitamin K-dependent glycoprotein, MW 55,400, and it consists of a single polypeptide chain. It is synthesized in the liver, stable for several days in fresh blood and for many months in fresh frozen plasma. It can be prepared as a stable c |
| Formel | Delipidated, heat inactivated, lyophilized, stable whole serum. No preservative added. Total protein and IgG concentrations in the antiserum are comparable to those of normal pooled rabbit serum. No foreign proteins added. |
| Anwendungsbeschreibung | Precipitation assays. In immunoelectrophoresis in agarose-plates use 2 µl human plasma or equivalent against 120 µl antiserum. In double radial immunodiffusion use a rosette arrangement with 10 µl antiserum in 3 mm diameter center well and 2 µl plasma sa |