

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Rabbit anti Mouse IgE (Fc specific), conjugated with TRITC, Clone: [Polyclonal], Monoclonal NMB-RAM/IGE(FC)/TRITC

| | |
|--------------------------|--|
| Artikelname | Rabbit anti Mouse IgE (Fc specific), conjugated with TRITC, Clone: [Polyclonal], Monoclonal |
| Artikelnummer | NMB-RAM/IGE(FC)/TRITC |
| Hersteller Artikelnummer | RAM/IgE(Fc)/TRITC |
| Alternativnummer | NMB-RAM/IGE(FC)/TRITC |
| Hersteller | NordicMubio |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Konjugation | TRITC |
| Produktbeschreibung | The reactivity of the antiserum is directed to IgE as tested against mouse sera and a panel of purified homogenous immunoglobulins. The precipitation reaction obtained against serum containing monoclonal IgE shows a reaction of full identity with the... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [Polyclonal] |
| Puffer | Fluorochrome-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. It is reconstituted by adding 1 ml sterile distilled water |

| | |
|------------------------|---|
| Quelle | Pools of highly purified homogenous IgE isolated from mouse serum. Freund's complete adjuvant is used in the first step of the immunization procedure. |
| Formel | Fluorochrome-coupled purified hyperimmune rabbit IgG lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity. |
| Anwendungsbeschreibung | ELISA, Immunocytochemistry, Immunohistochemistry (frozen), (In)direct immunofluorescence. |