

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### CD16 Antibody, Clone: [HO-80], Mouse, Monoclonal NSJ-V2500-100UG

Artikelname	CD16 Antibody, Clone: [HO-80], Mouse, Monoclonal
Artikelnummer	NSJ-V2500-100UG
Hersteller Artikelnummer	V2500-100UG
Alternativnummer	NSJ-V2500-100UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	FACS, Functional Studies, IF
Spezies Reaktivität	Human
Immunogen	PBL s from a NK-leukemia patient were used as the immunogen for the CD16 antibody.
Produktbeschreibung	It recognizes CD16 (Fcγ <sub>3</sub> R1), the low-affinity receptor for IgG with an apparent molecular weight of 50-80kDa. Two similar genes represent CD16, CD16A (Fcγ <sub>3</sub> R1A), which exists as a hetero-oligomeric polypeptide-anchored form in macrophages ...
Klonalität	Monoclonal
Konzentration	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Klon-Bezeichnung	[HO-80]
Isotyp	Mouse IgG2a, kappa

UniProt	<a href="#">P08637</a>
Puffer	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Reinheit	Protein G affinity chromatography
Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Target-Kategorie	CD16
Antibody Type	Primary Antibody
Application Verdünnung	Functional studies (order BSA/sodium azide-free format),Flow cytometry: 0.5-1ug/million cells,Immunofluorescence: 0.5-1ug/ml
Anwendungsbeschreibung	Optimal dilution of the CD16 antibody should be determined by the researcher.