

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

ABO Antibody (Blood Group Antigen B), Clone: [HEB-29], Mouse, Monoclonal NSJ-V2551-100UG

Artikelname	ABO Antibody (Blood Group Antigen B), Clone: [HEB-29], Mouse, Monoclonal
Artikelnummer	NSJ-V2551-100UG
Hersteller Artikelnummer	V2551-100UG
Alternativnummer	NSJ-V2551-100UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	IF, IH
Spezies Reaktivität	Human
Immunogen	A mixture of erythrocytes of group B and glycoprotein fraction isolated from saliva of secretors with blood group B was used as the immunogen for the ABO antibody.
Produktbeschreibung	The antibody HEB-29 reacts with human blood group B. The specificity of the antibody HEB-29 was confirmed by comparison of specificity and reactivity to standard reagent using >5.000 samples of blood. mAb HEB-29 shows specific staining of erythrocyte...
Klonalität	Monoclonal
Konzentration	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide

Klon-Bezeichnung	[HEB-29]
Isotyp	Mouse IgM, kappa
UniProt	P16442
Puffer	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Reinheit	PEG precipitation
Formulierung	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide
Target-Kategorie	ABO
Antibody Type	Primary Antibody
Application Verdünnung	Immunofluorescence: 2-4ug/ml, Immunohistology (formalin-fixed): 1-2ug/ml for 30 min at RT
Anwendungsbeschreibung	Optimal dilution of the ABO antibody should be determined by the researcher.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes