

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

ICAM-3 Antibody / CD50, Clone: [ICO-60], Mouse, Monoclonal NSJ-V7852-100UG

Artikelname	ICAM-3 Antibody / CD50, Clone: [ICO-60], Mouse, Monoclonal
Artikelnummer	NSJ-V7852-100UG
Hersteller Artikelnummer	V7852-100UG
Alternativnummer	NSJ-V7852-100UG
Hersteller	NSJ Bioreagents
Wirt	Mouse
Kategorie	Antikörper
Applikation	FACS
Spezies Reaktivität	Human
Immunogen	Human protein was used as the immunogen for the CD50 antibody.
Produktbeschreibung	Recognizes the N-glycosylated glycoprotein of 120kDa with intra-chain disulfide bonds, identified as CD50 or ICAM-3. CD50 is the major ligand for LFA-1 (CD11a/CD18) and may have signaling role to increase adhesion. It is expressed on thymocytes and T...
Klonalität	Monoclonal
Konzentration	0.2 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Klon-Bezeichnung	[ICO-60]
Isotyp	Mouse IgG1, kappa
UniProt	P32942

Puffer	0.2 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Reinheit	Protein G affinity chromatography
Formulierung	0.2 mg/ml with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide
Target-Kategorie	ICAM-3
Antibody Type	Primary Antibody
Application Verdünnung	Flow cytometry: 1-2ug/million cells in 0.1ml
Anwendungsbeschreibung	Optimal dilution of the antibody should be determined by the researcher.