

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

n-Myc Antibody, Clone: [NMYC-1], Mouse, Monoclonal NSJ-V7972SAF-100UG

| | |
|--------------------------|---|
| Artikelname | n-Myc Antibody, Clone: [NMYC-1], Mouse, Monoclonal |
| Artikelnummer | NSJ-V7972SAF-100UG |
| Hersteller Artikelnummer | V7972SAF-100UG |
| Alternativnummer | NSJ-V7972SAF-100UG |
| Hersteller | NSJ Bioreagents |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IF, WB |
| Spezies Reaktivität | Human, Mouse, Rat |
| Immunogen | A recombinant full-length human n-Myc protein was used as the immunogen for the n-Myc antibody. |
| Produktbeschreibung | The v-Myc oncogene, initially identified in the MC29 avian retrovirus, causes myelocytomas, carcinomas, sarcomas and lymphomas, and belongs to a family of oncogenes conserved throughout evolution. In humans, the family consists of five genes: c-Myc, ... |
| Klonalität | Monoclonal |
| Konzentration | 1 mg/ml in 1X PBS, BSA free, sodium azide free |
| Klon-Bezeichnung | [NMYC-1] |
| Isotyp | Mouse IgG2a, kappa |

| | |
|------------------------|--|
| UniProt | P04198 |
| Puffer | 1 mg/ml in 1X PBS, BSA free, sodium azide free |
| Reinheit | Protein G affinity chromatography |
| Formulierung | 1 mg/ml in 1X PBS, BSA free, sodium azide free |
| Target-Kategorie | n-Myc |
| Antibody Type | Primary Antibody |
| Application Verdünnung | Immunofluorescence: 1-2ug/ml,Western blot: 1-2ug/ml |
| Anwendungsbeschreibung | Optimal dilution of the antibody should be determined by the researcher. |