

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **CD35 / CR1 (Follicular Dendritic Cell Marker) Antibody, IgG1, Clone: [SPM554], Mouse, Monoclonal NBT-1378-MSM1X-P0**

|                          |   |
|--------------------------|---|
| Artikelname              | CD35 / CR1 (Follicular Dendritic Cell Marker) Antibody, IgG1, Clone: [SPM554], Mouse, Monoclonal  |
| Artikelnummer            | NBT-1378-MSM1X-P0   |
| Hersteller Artikelnummer | 1378-MSM1X-P0   |
| Alternativnummer         | NBT-1378-MSM1X-P0-20,NBT-1378-MSM1X-P0-100  |
| Hersteller               | NeoBiotechnologies  |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FC, IF, IHC   |
| Spezies Reaktivität      | Human, Primate  |
| Immunogen                | Intact human monocytes  |
| Produktbeschreibung      | Recognizes a protein of 210-220kDa, which is identified as the complement receptor 1 (CR1)/CD35. This MAb is specific for a site in CR1 that is distal from the C3b-binding site, so that it is unable to block CR1 activity. This MAb is highly specific ... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [SPM554]  |
| Molekulargewicht         | 210-220kDa  |
| Isotyp                   | IgG1  |

|                        |   |
|------------------------|---|
| NCBI                   | <a href="#">1378</a>  |
| UniProt                | <a href="#">P17927</a>  |
| Formulierung           | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.  |
| Antibody Type          | Monoclonal Antibody   |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min |