

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Thymidine Phosphorylase / PD-ECGF (Angiogenesis Marker) Antibody, IgG1, Clone: [rTYMP/3444], Mouse, Monoclonal NBT-1890-MSM3-P1ABX

| | |
|--------------------------|---|
| Artikelname | Recombinant Thymidine Phosphorylase / PD-ECGF (Angiogenesis Marker) Antibody, IgG1, Clone: [rTYMP/3444], Mouse, Monoclonal |
| Artikelnummer | NBT-1890-MSM3-P1ABX |
| Hersteller Artikelnummer | 1890-MSM3-P1ABX |
| Alternativnummer | NBT-1890-MSM3-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human, Mouse, Rat |
| Immunogen | Recombinant full-length human Thymidine Phosphorylase (TP / PD-ECGF) protein |
| Produktbeschreibung | Recognizes a protein (amino acid 482) of 55kDa (in vivo 110kDa homodimer), identified as platelet-derived endothelial growth factor (PD-ECGF), same as thymidine phosphorylase (TP) or gliostatin. In the presence of inorganic orthophosphate, it catalyz... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rTYMP/3444] |
| Molekulargewicht | 55kDa |

| | |
|------------------------|--|
| Isotyp | IgG1 |
| NCBI | 1890 |
| UniProt | P19971 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |