

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### EIF4E Antibody, IgG2a, Clone: [PCRP-EIF4E-1D3], Mouse, Monoclonal NBT-1977-MSM1-P0

|                          |   |
|--------------------------|---|
| Artikelname              | EIF4E Antibody, IgG2a, Clone: [PCRP-EIF4E-1D3], Mouse, Monoclonal   |
| Artikelnummer            | NBT-1977-MSM1-P0  |
| Hersteller Artikelnummer | 1977-MSM1-P0  |
| Alternativnummer         | NBT-1977-MSM1-P0-20,NBT-1977-MSM1-P0-100  |
| Hersteller               | NeoBiotechnologies  |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FC, IF, WB  |
| Spezies Reaktivität      | Human   |
| Immunogen                | Recombinant full-length human EIF4E protein   |
| Produktbeschreibung      | The initiation of protein synthesis in eukaryotic cells is regulated by interactions between protein initiation factors and RNA molecules. The eukaryotic initiation complex eIF4F exists in vitro as a trimeric complex of eIF4E, eIF4A and eIF4G. Togeth... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [PCRP-EIF4E-1D3]  |
| Molekulargewicht         | 25.1kDa   |
| Isotyp                   | IgG2a   |
| NCBI                     | <a href="#">1977</a>  |

|                        |  |
|------------------------|--|
| UniProt                | <a href="#">P06730</a>   |
| Formulierung           | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type          | Monoclonal Antibody  |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Optimal dilution for a specific application should be determined.        |