

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

beta Amyloid, IgG2c, Clone: [APP/3345], Mouse, Monoclonal NBT-351-MSM5-P0

| | |
|--------------------------|---|
| Artikelname | beta Amyloid, IgG2c, Clone: [APP/3345], Mouse, Monoclonal |
| Artikelnummer | NBT-351-MSM5-P0 |
| Hersteller Artikelnummer | 351-MSM5-P0 |
| Alternativnummer | NBT-351-MSM5-P0-20,NBT-351-MSM5-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment (around aa578-680) of human Amyloid Beta protein (exact sequence is proprietary) |
| Produktbeschreibung | Proteolytic cleavage of the Amyloid protein precursor (APP) gives rise to the -Amyloid and Amyloid A4 proteins, which are present in human platelets. Amyloid deposition is associated with type II diabetes, Down syndrome and a variety of neurological ... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [APP/3345] |
| Molekulargewicht | 4-46kDa (a-Amyloid), 100-125kDa (Amyloid A4) |
| Isotyp | IgG2c |

| | |
|------------------------|---|
| NCBI | 351 |
| UniProt | P05067 |
| Formulierung | 200ug/ml of Ab purified from rabbit anti-serum by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunofluorescence (1-2ug/ml), Flow Cytometry (1-2ug/million cells), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT), (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min |