

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

CD117 / c-Kit (Marker for Gastrointestinal Stromal Tumors) Antibody, IgG1, Clone: [C117/370], Mouse, Monoclonal NBT-3815-MSM1-P1ABX

| | |
|--------------------------|---|
| Artikelname | CD117 / c-Kit (Marker for Gastrointestinal Stromal Tumors) Antibody, IgG1, Clone: [C117/370], Mouse, Monoclonal |
| Artikelnummer | NBT-3815-MSM1-P1ABX |
| Hersteller Artikelnummer | 3815-MSM1-P1ABX |
| Alternativnummer | NBT-3815-MSM1-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human CD117 protein |
| Produktbeschreibung | This MAb recognizes a protein of 145kDa, identified as CD117/p145kit. It is found on a wide variety of tumor cells including follicular and papillary carcinoma of thyroid, adenocarcinomas from endometrium, lung, ovary, pancreas, and breast as well as... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [C117/370] |
| Molekulargewicht | 145kDa |
| Isotyp | IgG1 |

| | |
|------------------------|---|
| NCBI | 3815 |
| UniProt | P10721 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 1mM EDTA buffer, pH 9.5, for 45 min at 95degC followed by cooling at RT for 20 minutes)Optimal dilution for a sp |