

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Cytokeratin 6A (KRT6A) (Basal Cell Marker) Antibody, Clone: [KRT6/8120R], Rabbit, Monoclonal NBT-3853-RBM10-P0

| | |
|--------------------------|--|
| Artikelname | Recombinant Cytokeratin 6A (KRT6A) (Basal Cell Marker) Antibody, Clone: [KRT6/8120R], Rabbit, Monoclonal |
| Artikelnummer | NBT-3853-RBM10-P0 |
| Hersteller Artikelnummer | 3853-RBM10-P0 |
| Alternativnummer | NBT-3853-RBM10-P0-20,NBT-3853-RBM10-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment of human KRT6 (exact sequence is proprietary) |
| Produktbeschreibung | Cytokeratin 6 is an epidermis-specific type I keratin involved in wound healing. Involved in the activation of follicular keratinocytes after wounding, while it does not play a major role in keratinocyte proliferation or migration. This protein always... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [KRT6/8120R] |
| Molekulargewicht | 56kDa |

| | |
|------------------------|--|
| NCBI | 3853 |
| UniProt | P02538 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |