

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Cytokeratin 10 (Suprabasal Epithelial Marker) Antibody, IgG1, Clone: [DE-K10], Mouse, Monoclonal NBT-3858-MSM3-P0**

Artikelname	Cytokeratin 10 (Suprabasal Epithelial Marker) Antibody, IgG1, Clone: [DE-K10], Mouse, Monoclonal
Artikelnummer	NBT-3858-MSM3-P0
Hersteller Artikelnummer	3858-MSM3-P0
Alternativnummer	NBT-3858-MSM3-P0-20,NBT-3858-MSM3-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Canine, Feline, Human
Immunogen	Cytoskeletal preparation extracted from human ectocervical epithelium
Produktbeschreibung	This MAb recognizes a protein of 56.5kDa, identified as cytokeratin 10 (CK10). CK10 is expressed in all suprabasal layers of the epidermis. In the epidermis, expression of CK10 strictly parallels the extent of differentiation, it is absent in the bas...
Klonalität	Monoclonal
Klon-Bezeichnung	[DE-K10]
Molekulargewicht	56.5kDa

Isotyp	IgG1
NCBI	<a href="#">3858</a>
UniProt	<a href="#">P13645</a>
Formulierung	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution for a