

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin 14 (KRT14) (Squamous Cell Marker) Antibody, IgG1, Clone: [KRT14/4131], Mouse, Monoclonal NBT-3861-MSM11-P0

| | |
|--------------------------|---|
| Artikelname | Cytokeratin 14 (KRT14) (Squamous Cell Marker) Antibody, IgG1, Clone: [KRT14/4131], Mouse, Monoclonal |
| Artikelnummer | NBT-3861-MSM11-P0 |
| Hersteller Artikelnummer | 3861-MSM11-P0 |
| Alternativnummer | NBT-3861-MSM11-P0-20,NBT-3861-MSM11-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment (around aa351-472) of human KRT14 protein (exact sequence is proprietary) |
| Produktbeschreibung | Cytokeratin 14 (CK14) belongs to the type I (or A or acidic) subfamily of low molecular weight keratins and exists in combination with keratin 5 (type II or B or basic). CK14 is found in basal cells of squamous epithelia, some glandular epithelia, my... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [KRT14/4131] |
| Molekulargewicht | ~50kDa |

| | |
|------------------------|---|
| Isotyp | IgG1 |
| NCBI | 3861 |
| UniProt | P02533 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti |