

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant LH-beta (Luteinizing Hormone-beta) Antibody, Clone: [LHb/1612R], Rabbit, Monoclonal NBT-3972-RBM2-P1ABX

| | |
|--------------------------|---|
| Artikelname | Recombinant LH-beta (Luteinizing Hormone-beta) Antibody, Clone: [LHb/1612R], Rabbit, Monoclonal |
| Artikelnummer | NBT-3972-RBM2-P1ABX |
| Hersteller Artikelnummer | 3972-RBM2-P1ABX |
| Alternativnummer | NBT-3972-RBM2-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human LHB protein |
| Produktbeschreibung | LH has a beta subunit of 121 amino acids (LHB) that confers its specific biologic action and is responsible for interaction with the LH receptor. This beta subunit contains the same amino acids in sequence as the beta subunit of hCG and both stimulat... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [LHb/1612R] |
| Molekulargewicht | 22kDa |
| NCBI | 3972 |

| | |
|------------------------|---|
| UniProt | P01229 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti |