

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MMP2 / Collagenase Type IV A (Tumor Metastasis Marker) Antibody, IgG1, Clone: [4D3], Mouse, Monoclonal NBT-4313-MSM4-P0

| | |
|--------------------------|---|
| Artikelname | MMP2 / Collagenase Type IV A (Tumor Metastasis Marker) Antibody, IgG1, Clone: [4D3], Mouse, Monoclonal |
| Artikelnummer | NBT-4313-MSM4-P0 |
| Hersteller Artikelnummer | 4313-MSM4-P0 |
| Alternativnummer | NBT-4313-MSM4-P0-20,NBT-4313-MSM4-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human MMP2 protein fragment (aa557-569) |
| Produktbeschreibung | It recognizes a protein of 72kDa, which is identified as MMP2. The matrix metalloproteinases (MMP) are a family of peptidase enzymes responsible for the degradation of extracellular matrix components, including collagen, gelatin, Fibronectin, Laminin... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [4D3] |
| Molekulargewicht | 72kDa (Pro), 63kDa (cleaved) |
| Isotyp | IgG1 |

| | |
|------------------------|--|
| NCBI | 4313 |
| UniProt | P08253 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |