

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **MUC1 / CA15-3 / EMA / CD227 (Epithelial Marker) Antibody, IgG1, Clone: [VU-4H5], Mouse, Monoclonal NBT-4582-MSM12-P0**

Artikelname	MUC1 / CA15-3 / EMA / CD227 (Epithelial Marker) Antibody, IgG1, Clone: [VU-4H5], Mouse, Monoclonal
Artikelnummer	NBT-4582-MSM12-P0
Hersteller Artikelnummer	4582-MSM12-P0
Alternativnummer	NBT-4582-MSM12-P0-20,NBT-4582-MSM12-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC, WB
Spezies Reaktivität	Human
Immunogen	Synthetic glycosylated MUC1 60mer tandem repeat NH2-(HGVT SAPDT(GalNAc)RPAPGSTAPPAHG)3-COOH, conjugated to bovine serum albumin
Produktbeschreibung	MAb VU-4H5 reacts with MUC1, a large transmembrane glycoprotein expressed on the ductal surface of normal glandular epithelia. The dominant epitope of MAb VU4H5 is APDTR as established with epitope fingerprinting. VU-4H5 preferentially binds to under...
Klonalität	Monoclonal
Klon-Bezeichnung	[VU-4H5]
Molekulargewicht	265-400kDa

Isotyp	IgG1
NCBI	<a href="#">4582</a>
UniProt	<a href="#">P15941</a>
Formulierung	200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Western Blot (1-2ug/ml), Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM