

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Nucleolin (Marker of Human Cells) Antibody, IgG1, Clone: [NCL/902], Mouse, Monoclonal NBT-4691-MSM1-P1ABX

| | |
|--------------------------|---|
| Artikelname | Nucleolin (Marker of Human Cells) Antibody, IgG1, Clone: [NCL/902], Mouse, Monoclonal |
| Artikelnummer | NBT-4691-MSM1-P1ABX |
| Hersteller Artikelnummer | 4691-MSM1-P1ABX |
| Alternativnummer | NBT-4691-MSM1-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human NCL protein |
| Produktbeschreibung | Recognizes a protein of ~76kDa, which is identified as Nucleolin (NCL). It is the major nucleolar phosphoprotein of growing eukaryotic cells. NCL is located mainly in dense fibrillar regions of the nucleolus. It is found associated with intranucleola... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [NCL/902] |
| Molekulargewicht | 76kDa |
| Isotyp | IgG1 |

| | |
|------------------------|---|
| NCBI | 4691 |
| UniProt | P19338 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1m |