

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant NKX2.2 (Neuroendocrine & Ewings Sarcoma Marker) Antibody, IgG1, Clone: [rNX2/1523], Mouse, Monoclonal NBT-4821-MSM9-P0

| | |
|--------------------------|---|
| Artikelname | Recombinant NKX2.2 (Neuroendocrine & Ewings Sarcoma Marker) Antibody, IgG1, Clone: [rNX2/1523], Mouse, Monoclonal |
| Artikelnummer | NBT-4821-MSM9-P0 |
| Hersteller Artikelnummer | 4821-MSM9-P0 |
| Alternativnummer | NBT-4821-MSM9-P0-20,NBT-4821-MSM9-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Human recombinant NKX2.2 protein fragment (around aa1-119) (exact sequence is proprietary) |
| Produktbeschreibung | Expression of NKX2.2 has been found in neuroendocrine tumors of the gut, making it a potential marker for the study of gastrointestinal neuroendocrine tumors. More recently, NKX2.2 protein was identified as a target of EWS-FLI-1, the fusion protein s... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rNX2/1523] |
| Molekulargewicht | 40-50kDa |

| | |
|------------------------|---|
| Isotyp | IgG1 |
| NCBI | 4821 |
| UniProt | O95096 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution f |