

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant Bcl-X (Apoptosis Marker) Antibody, IgG2a, Clone: [rBCL2L1/4508], Mouse, Monoclonal NBT-598-MSM8-P0**

Artikelname	Recombinant Bcl-X (Apoptosis Marker) Antibody, IgG2a, Clone: [rBCL2L1/4508], Mouse, Monoclonal
Artikelnummer	NBT-598-MSM8-P0
Hersteller Artikelnummer	598-MSM8-P0
Alternativnummer	NBT-598-MSM8-P0-20,NBT-598-MSM8-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Recombinant fragment (around aa1-100) of human BCL2L1 protein (exact sequence is proprietary)
Produktbeschreibung	Recognizes a protein of 27kDa, identified as the Bcl-X protein. This MAb shows no cross-reaction with Bcl-2 or Bax protein. Bcl-X has two isoforms, Bcl-XL (long), a 241-amino acid protein which suppresses cell death. And Bcl-XS (short), a 178-amino a...
Klonalität	Monoclonal
Klon-Bezeichnung	[rBCL2L1/4508]
Molekulargewicht	27kDa

Isotyp	IgG2a
NCBI	<a href="#">598</a>
UniProt	<a href="#">Q07817</a>
Formulierung	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for 20 minutes),Optimal diluti