

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

S100P / MIG9 Antibody, IgG1, Clone: [S100P/7374], Mouse, Monoclonal NBT-6286-MSM4-P0

| | |
|--------------------------|---|
| Artikelname | S100P / MIG9 Antibody, IgG1, Clone: [S100P/7374], Mouse, Monoclonal |
| Artikelnummer | NBT-6286-MSM4-P0 |
| Hersteller Artikelnummer | 6286-MSM4-P0 |
| Alternativnummer | NBT-6286-MSM4-P0-20,NBT-6286-MSM4-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment (around aa1-95) of human MIG9 protein (exact sequence is proprietary) |
| Produktbeschreibung | S100P is a 95-amino-acid protein and a member of the S100 family. S100P has been shown to mediate tumor growth, metastasis and invasion through the binding of Ca ²⁺ ions, receptor for advanced glycation end products, cytoskeletal protein ezrin, calcyc... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [S100P/7374] |
| Molekulargewicht | 10kDa |
| Isotyp | IgG1 |

| | |
|------------------------|--|
| NCBI | 6286 |
| UniProt | P25815 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |