

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **gp100 / Melanosome / PMEL17 / SILV (Melanoma Marker) Antibody, IgG1, Clone: [SPM142], Mouse, Monoclonal NBT-6490-MSM1X-P1ABX**

|                          |  |
|--------------------------|--|
| Artikelname              | gp100 / Melanosome / PMEL17 / SILV (Melanoma Marker) Antibody, IgG1, Clone: [SPM142], Mouse, Monoclonal  |
| Artikelnummer            | NBT-6490-MSM1X-P1ABX   |
| Hersteller Artikelnummer | 6490-MSM1X-P1ABX   |
| Alternativnummer         | NBT-6490-MSM1X-P1ABX-100   |
| Hersteller               | NeoBiotechnologies   |
| Wirt                     | Mouse  |
| Kategorie                | Antikörper   |
| Applikation              | FC, IF, IHC, WB  |
| Spezies Reaktivität      | Human  |
| Immunogen                | Extract of pigmented melanoma metastases from lymph nodes  |
| Produktbeschreibung      | The gp100 molecule is a 100kDa glycosylated protein that is cleaved into a small (26kDa) carboxy-terminal fragment and a larger amino-terminal section (60-64 kDa), which is subsequently cleaved to generate 26kDa and 34-38kDa fragments. By immunohist... |
| Klonalität               | Monoclonal   |
| Klon-Bezeichnung         | [SPM142]   |
| Molekulargewicht         | 26-100kDa  |
| Isotyp                   | IgG1   |

|                        |   |
|------------------------|---|
| NCBI                   | <a href="#">6490</a>  |
| UniProt                | <a href="#">P40967</a>  |
| Formulierung           | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.  |
| Antibody Type          | Monoclonal Antibody   |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (2-4ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM |