

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant p53 Tumor Suppressor Protein Antibody, IgG1, Clone: [rTP53/1739], Mouse, Monoclonal NBT-7157-MSM16-P0

| | |
|--------------------------|--|
| Artikelname | Recombinant p53 Tumor Suppressor Protein Antibody, IgG1, Clone: [rTP53/1739], Mouse, Monoclonal |
| Artikelnummer | NBT-7157-MSM16-P0 |
| Hersteller Artikelnummer | 7157-MSM16-P0 |
| Alternativnummer | NBT-7157-MSM16-P0-20,NBT-7157-MSM16-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant full-length human TP53 protein |
| Produktbeschreibung | The specificity of this monoclonal antibody to its intended target was validated by HuProt™ Array, containing more than 19,000, full-length human proteins. Recognizes a 53kDa protein, which is identified as p53 suppressor gene product. It reacts wit... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rTP53/1739] |
| Molekulargewicht | 53kDa. |
| Isotyp | IgG1 |

| | |
|------------------------|---|
| NCBI | 7157 |
| UniProt | P04637 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Western Blotting (1-2ug/ml), Immunohistology (Formalin-fixed) (0.5-1.0ug/ml for 30 minutes at RT) ,(Staining of formalin-fixed tissues requires boiling tissue sections in 10mM citrate buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minute |