

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant p53 Tumor Suppressor Protein Antibody, Clone: [TP53/2092R], Rabbit, Monoclonal NBT-7157-RBM17-P0

| | |
|--------------------------|---|
| Artikelname | Recombinant p53 Tumor Suppressor Protein Antibody, Clone: [TP53/2092R], Rabbit, Monoclonal |
| Artikelnummer | NBT-7157-RBM17-P0 |
| Hersteller Artikelnummer | 7157-RBM17-P0 |
| Alternativnummer | NBT-7157-RBM17-P0-20,NBT-7157-RBM17-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | IHC, WB |
| Spezies Reaktivität | Canine, Gallus, Hamster, Human, Monkey |
| Immunogen | Recombinant full-length human TP53 protein |
| Produktbeschreibung | This MAb reacts with an N-terminal epitope (aa 16-25) of both wild type and mutated p53. Mutation and/or allelic loss of p53 is one of the causes of a variety of mesenchymal and epithelial tumors. If it occurs in the germ line, such tumors run in fam... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [TP53/2092R] |
| Molekulargewicht | 53kDa. |
| NCBI | 7157 |

| | |
|------------------------|---|
| UniProt | P04637 |
| Formulierung | 200ug/ml of Ab Purified by Protein A Column. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT) (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 mi |