

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant PGP9.5 / UchL1 (pan-Neuronal Marker) Antibody, Clone: [UCHL1/7076R], Rabbit, Monoclonal NBT-7345-RBM16-P1ABX**

|                          |   |
|--------------------------|---|
| Artikelname              | Recombinant PGP9.5 / UchL1 (pan-Neuronal Marker) Antibody, Clone: [UCHL1/7076R], Rabbit, Monoclonal   |
| Artikelnummer            | NBT-7345-RBM16-P1ABX  |
| Hersteller Artikelnummer | 7345-RBM16-P1ABX  |
| Alternativnummer         | NBT-7345-RBM16-P1ABX-100  |
| Hersteller               | NeoBiotechnologies  |
| Wirt                     | Rabbit  |
| Kategorie                | Antikörper  |
| Applikation              | IHC, WB   |
| Spezies Reaktivität      | Human   |
| Immunogen                | Recombinant full-length human UCHL1 protein   |
| Produktbeschreibung      | This MAb reacts with a protein of 20-30kDa, identified as PGP9.5, also known as ubiquitin carboxyl-terminal hydrolase-1 (UchL1). Initially, PGP9.5 expression in normal tissues was reported in neurons and neuroendocrine cells but later it was found in... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [UCHL1/7076R]   |
| Molekulargewicht         | 20-30kDa  |
| NCBI                     | <a href="#">7345</a>  |

|                        |  |
|------------------------|--|
| UniProt                | <a href="#">P09936</a>   |
| Formulierung           | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.   |
| Antibody Type          | Recombinant Monoclonal Antibody  |
| Anwendungsbeschreibung | Western Blot (2-4ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95degC followed by cooling at RT for 2 |