

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant p40 (deltaNp63) (Squamous, Basal & Myoepithelial Cell Marker) Antibody, IgG1, Clone: [rTP40/3690], Mouse, Monoclonal NBT-8626-MSM10-P0**

Artikelname	Recombinant p40 (deltaNp63) (Squamous, Basal & Myoepithelial Cell Marker) Antibody, IgG1, Clone: [rTP40/3690], Mouse, Monoclonal
Artikelnummer	NBT-8626-MSM10-P0
Hersteller Artikelnummer	8626-MSM10-P0
Alternativnummer	NBT-8626-MSM10-P0-20,NBT-8626-MSM10-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	FC, IF, IHC
Spezies Reaktivität	Human
Immunogen	A synthetic peptide from the N-terminal of human p40protein (Exact sequence is proprietary)
Produktbeschreibung	p63 consists of two major isoforms-TAp63 and delta-Np63. These isoforms differ in the structure of the N-terminal domains. The TAp63 isoform (identified by anti-p63 antibody) contains a transactivation-competent TA domain with homology to p53, which ...
Klonalität	Monoclonal
Klon-Bezeichnung	[rTP40/3690]
Molekulargewicht	40kDa

Isotyp	IgG1
NCBI	<a href="#">8626</a>
UniProt	<a href="#">Q9H3D4</a>
Formulierung	200ug/ml of Ab purified by Protein A Column. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Anwendungsbeschreibung	Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 mi