

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant CD3e (T-Cell Marker) Antibody, Clone: [C3e/3171R], Rabbit, Monoclonal NBT-916-RBM18-P0

| | |
|--------------------------|---|
| Artikelname | Recombinant CD3e (T-Cell Marker) Antibody, Clone: [C3e/3171R], Rabbit, Monoclonal |
| Artikelnummer | NBT-916-RBM18-P0 |
| Hersteller Artikelnummer | 916-RBM18-P0 |
| Alternativnummer | NBT-916-RBM18-P0-20,NBT-916-RBM18-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | ELISA, IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant human CD3e fragment (around aa 23-119) (exact sequence is proprietary) |
| Produktbeschreibung | Recognizes the epsilon-chain of CD3, which consists of five different polypeptide chains (designated as gamma, delta, epsilon, zeta, and eta) with MW ranging from 16-28kDa. The CD3 complex is closely associated at the lymphocyte cell surface with the... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [C3e/3171R] |
| Molekulargewicht | 20kDa |

| | |
|------------------------|---|
| NCBI | 916 |
| UniProt | P07766 |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | ELISA (Use Ab at 2-4ug/ml for coating) (Order Ab without BSA), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C fo |