

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **MUC16 / CA125 (Ovarian Carcinoma Marker) Antibody, IgG1, Clone: [OCA125/1900], Mouse, Monoclonal NBT-94025-MSM2-P0**

Artikelname	MUC16 / CA125 (Ovarian Carcinoma Marker) Antibody, IgG1, Clone: [OCA125/1900], Mouse, Monoclonal
Artikelnummer	NBT-94025-MSM2-P0
Hersteller Artikelnummer	94025-MSM2-P0
Alternativnummer	NBT-94025-MSM2-P0-20,NBT-94025-MSM2-P0-100
Hersteller	NeoBiotechnologies
Wirt	Mouse
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Human
Immunogen	Full length native MUC16 protein purified from human ovarian carcinoma
Produktbeschreibung	The mucins are a family of highly glycosylated, secreted proteins with a basic structure consisting of a variable number of tandem repeats (VNTRs). Membrane-associated and secretory Mucins are high molecular weight glycoproteins of the glycocalyx (po...
Klonalität	Monoclonal
Klon-Bezeichnung	[OCA125/1900]
Molekulargewicht	>2 000kDa

Isotyp	IgG1
NCBI	<a href="#">94025</a>
UniProt	<a href="#">Q8WXI7</a>
Formulierung	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution