

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Recombinant Napsin A (Lung Adenocarcinoma Marker) Antibody, IgG1, Clone: [rNAPSA/7239], Mouse, Monoclonal NBT-9476-MSM19-P1ABX

| | |
|--------------------------|---|
| Artikelname | Recombinant Napsin A (Lung Adenocarcinoma Marker) Antibody, IgG1, Clone: [rNAPSA/7239], Mouse, Monoclonal |
| Artikelnummer | NBT-9476-MSM19-P1ABX |
| Hersteller Artikelnummer | 9476-MSM19-P1ABX |
| Alternativnummer | NBT-9476-MSM19-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IHC |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragment (aa50-150) of human Napsin A protein (exact sequence is proprietary) |
| Produktbeschreibung | Napsin is a pepsin-like aspartic proteinase connected with maturation of surfactant protein B.A There are two closely related napsins, napsin A and napsin B. Napsin A is expressed as a single chain protein. Immunohistochemical studies revealed high e... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [rNAPSA/7239] |
| Molekulargewicht | 37kDa |

| | |
|------------------------|--|
| Isotyp | IgG1 |
| NCBI | 9476 |
| UniProt | O96009 |
| Formulierung | 200ug/ml of Ab purified from rabbit anti-serum by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA at 1.0mg/ml. |
| Antibody Type | Recombinant Monoclonal Antibody |
| Anwendungsbeschreibung | Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal dilutio |