

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin 10/13 Antibody, IgG2a, Clone: [SPM262], Mouse, Monoclonal NBT-MSM11X-696-P0

| | |
|--------------------------|---|
| Artikelname | Cytokeratin 10/13 Antibody, IgG2a, Clone: [SPM262], Mouse, Monoclonal |
| Artikelnummer | NBT-MSM11X-696-P0 |
| Hersteller Artikelnummer | MSM11X-696-P0 |
| Alternativnummer | NBT-MSM11X-696-P0-20,NBT-MSM11X-696-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC, WB |
| Spezies Reaktivität | Feline, Human |
| Immunogen | Cytoskeletal preparation extracted from human ectocervical epithelium |
| Produktbeschreibung | This antibody recognizes cytokeratin 10 (56.5kDa) and cytokeratin 13 (53kDa) in Western blotting. It recognizes only cytokeratin 13 in formalin-fixed, paraffin-embedded tissue sections. It does not react with cytokeratin 10 positive, cytokeratin 13 n... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [SPM262] |
| Molekulargewicht | 56.5kDa (CK10) & 53kDa (CK13) |
| Isotyp | IgG2a |

| | |
|------------------------|---|
| NCBI | 3858 |
| UniProt | P13645 |
| Formulierung | 200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM |