

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **FITC (Fluorescein Isothiocyanate) Antibody, IgG1, Clone: [SPM395], Mouse, Monoclonal NBT-MSM1X-1277-P0**

|                          |   |
|--------------------------|---|
| Artikelname              | FITC (Fluorescein Isothiocyanate) Antibody, IgG1, Clone: [SPM395],<br>Mouse, Monoclonal   |
| Artikelnummer            | NBT-MSM1X-1277-P0   |
| Hersteller Artikelnummer | MSM1X-1277-P0   |
| Alternativnummer         | NBT-MSM1X-1277-P0-20,NBT-MSM1X-1277-P0-100  |
| Hersteller               | NeoBiotechnologies  |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | FC, IF, IHC, WB   |
| Spezies Reaktivität      | All   |
| Immunogen                | Fluorescein isothiocyanate (FITC) conjugated to KLH   |
| Produktbeschreibung      | This MAb recognizes both the free and protein-conjugated (either soluble or cell bound) form of fluorescein or carboxy-fluorescein. Sensitivity of the FITC-anti-FITC system is reportedly similar to that of the biotin-avidin system. In biotin or enzym... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [SPM395]  |
| Molekulargewicht         | 389.4Da (Molecular Formula: C <sub>21</sub> H <sub>11</sub> NO <sub>5</sub> S)  |
| Isotyp                   | IgG1  |

|                        |  |
|------------------------|--|
| NCBI                   | Not Applicable   |
| Formulierung           | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.   |
| Antibody Type          | Monoclonal Antibody  |
| Anwendungsbeschreibung | Confocal Microscopy, Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), In situ Nucleic Acid Hybridization, Western Blot, Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT) (Pretreatment depends upon the fluoreceinate |