

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Mitochondria (Marker for Human Cells) Antibody, IgG1, Clone: [MTC02], Mouse, Monoclonal NBT-MSM2-740-P1ABX

| | |
|--------------------------|---|
| Artikelname | Mitochondria (Marker for Human Cells) Antibody, IgG1, Clone: [MTC02], Mouse, Monoclonal |
| Artikelnummer | NBT-MSM2-740-P1ABX |
| Hersteller Artikelnummer | MSM2-740-P1ABX |
| Alternativnummer | NBT-MSM2-740-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | IF, IHC |
| Spezies Reaktivität | Human |
| Immunogen | Semi-Purified mitochondrial preparation |
| Produktbeschreibung | This MAb recognizes a 60kDa antigen associated with the mitochondria in human cells. It is a part of a new panel of reagents, which recognizes subcellular organelles or compartments of human cells. These markers may be useful in identification of the... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [MTC02] |
| Molekulargewicht | 60kDa |
| Isotyp | IgG1 |

| | |
|------------------------|--|
| NCBI | Not Known |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Immunofluorescence (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues is enhanced by heating tissue sections in 1mM EDTA Buffer, pH 8.5-9.5, for 45 min at 95°C followed by cooling at RT |