

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

Cytokeratin 5/6/18 Antibody, IgG1, Clone: [SPM267], Mouse, Monoclonal NBT-MSM36X-2036-P1ABX

| | |
|--------------------------|---|
| Artikelname | Cytokeratin 5/6/18 Antibody, IgG1, Clone: [SPM267], Mouse, Monoclonal |
| Artikelnummer | NBT-MSM36X-2036-P1ABX |
| Hersteller Artikelnummer | MSM36X-2036-P1ABX |
| Alternativnummer | NBT-MSM36X-2036-P1ABX-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Mouse |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC, WB |
| Spezies Reaktivität | Bovine, Human, Rat |
| Immunogen | Detergent-insoluble fraction of psoriatic human epidermis |
| Produktbeschreibung | It recognizes polypeptides of 58kDa, 56kDa, and 45kDa, identified as cytokeratin 5, 6, and 18 respectively. It shows no reaction with keratin 1, 8, or 19. This MAb shows a broad pattern of reactivity with epithelial tissues, from simple glandular epi... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [SPM267] |
| Molekulargewicht | 45.58kDa |
| Isotyp | IgG1 |

| | |
|------------------------|--|
| NCBI | Multiple |
| Formulierung | 200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Monoclonal Antibody |
| Anwendungsbeschreibung | Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA |