

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Thomsen-Friedenreich Antigen / CD176 (Pan Carcinoma Marker) Antibody, IgM, Clone: [A63-C/A9], Mouse, Monoclonal NBT-MSM3-938-P1BX**

|                          |   |
|--------------------------|---|
| Artikelname              | Thomsen-Friedenreich Antigen / CD176 (Pan Carcinoma Marker) Antibody, IgM, Clone: [A63-C/A9], Mouse, Monoclonal   |
| Artikelnummer            | NBT-MSM3-938-P1BX   |
| Hersteller Artikelnummer | MSM3-938-P1BX   |
| Alternativnummer         | NBT-MSM3-938-P1BX-100   |
| Hersteller               | NeoBiotechnologies  |
| Wirt                     | Mouse   |
| Kategorie                | Antikörper  |
| Applikation              | IF, IHC   |
| Spezies Reaktivität      | Human, Mouse, Rat   |
| Immunogen                | Neuraminidase-treated human red blood cells   |
| Produktbeschreibung      | Recognizes a disaccharide epitope, Gal 1-3GalNAc, of Thomsen-Friedenreich (TF) antigen. It is specific for both anomeric forms of the disaccharide (TF and TF , including related structures on the glycolipid) and shows no cross-reactivity with sialyla... |
| Klonalität               | Monoclonal  |
| Klon-Bezeichnung         | [A63-C/A9]  |
| Molekulargewicht         | Multiple  |
| Isotyp                   | IgM   |

|                        |  |
|------------------------|--|
| NCBI                   | Not Applicable   |
| Formulierung           | 200ug/ml of Ab Purified from Bioreactor Concentrate. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.  |
| Antibody Type          | Monoclonal Antibody  |
| Anwendungsbeschreibung | Immunofluorescence (1-2ug/ml), Immunohistochemistry (Frozen) (1-2ug/ml for 30 minutes at RT), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at 37C)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM |