

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **Recombinant Cytokeratin, Acidic (Type I or LMW) (Epithelial Marker) Antibody, Clone: [KRTL/1577R], Rabbit, Monoclonal NBT-RBM21-1577-P0**

Artikelname	Recombinant Cytokeratin, Acidic (Type I or LMW) (Epithelial Marker) Antibody, Clone: [KRTL/1577R], Rabbit, Monoclonal
Artikelnummer	NBT-RBM21-1577-P0
Hersteller Artikelnummer	RBM21-1577-P0
Alternativnummer	NBT-RBM21-1577-P0-20,NBT-RBM21-1577-P0-100
Hersteller	NeoBiotechnologies
Wirt	Rabbit
Kategorie	Antikörper
Applikation	IHC
Spezies Reaktivität	Canine, Human
Immunogen	Recombinant human KRT77 protein fragment
Produktbeschreibung	This MAb recognizes the 56.5kDa (CK10), 50kDa (CK14), 50kDa (CK15), 48kDa (CK16), 40kDa (CK19) keratins of the acidic (Type I or LMW) subfamily. Twenty human keratins are resolved with two-dimensional gel electrophoresis into acidic (pI 6.0) subfamil...
Klonalität	Monoclonal
Klon-Bezeichnung	[KRTL/1577R]
Molekulargewicht	56.5kDa (CK10), 50kDa (CK14), 50kDa (CK15), 48kDa (CK16), 40kDa (CK19)

NCBI	<a href="#">374454</a>
UniProt	<a href="#">Q7Z794</a>
Formulierung	200ug/ml of Ab Purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Antibody Type	Recombinant Monoclonal Antibody
Anwendungsbeschreibung	Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes), Optimal dilution for a