

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

Product Datasheet

MonoPoly™ Cytokeratin, pan (Epithelial Marker) Antibody, Clone: [MonoPoly/7249R], Rabbit, Monoclonal NBT-RBMP49-7249-P0

| | |
|--------------------------|---|
| Artikelname | MonoPoly™ Cytokeratin, pan (Epithelial Marker) Antibody, Clone: [MonoPoly/7249R], Rabbit, Monoclonal |
| Artikelnummer | NBT-RBMP49-7249-P0 |
| Hersteller Artikelnummer | RBMP49-7249-P0 |
| Alternativnummer | NBT-RBMP49-7249-P0-20,NBT-RBMP49-7249-P0-100 |
| Hersteller | NeoBiotechnologies |
| Wirt | Rabbit |
| Kategorie | Antikörper |
| Applikation | FC, IF, IHC, WB |
| Spezies Reaktivität | Human |
| Immunogen | Recombinant fragments and/or synthetic peptides of human KRT76 and KRT77 proteins (exact sequences are proprietary) |
| Produktbeschreibung | MonoPoly antibodies are designed by pooling several monospecific, recombinant monoclonal antibodies against a target. MonoPoly antibodies are a kind of synthetic polyclonal antibodies that can be produced in unlimited quantity with a strict lot-to-lo... |
| Klonalität | Monoclonal |
| Klon-Bezeichnung | [MonoPoly/7249R] |
| Molekulargewicht | 40-67kDa |

| | |
|------------------------|---|
| NCBI | Multiple |
| Formulierung | 200ug/ml of Ab purified by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml. |
| Antibody Type | Recombinant Antibody |
| Anwendungsbeschreibung | Flow Cytometry (0.5-1ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml), Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT), (Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1 |