

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### Dylight 800, Goat Anti-Rabbit IgG, DyLight 800 ASC-A23920

|                          |   |
|--------------------------|---|
| Artikelname              | Dylight 800, Goat Anti-Rabbit IgG, DyLight 800  |
| Artikelnummer            | ASC-A23920  |
| Hersteller Artikelnummer | A23920  |
| Alternativnummer         | ASC-A23920-100,ASC-A23920-500   |
| Hersteller               | Abbkine Scientific  |
| Wirt                     | Goat  |
| Kategorie                | Antikörper  |
| Applikation              | FC, ICC, IF, WB   |
| Spezies Reaktivität      | Rabbit  |
| Immunogen                | Rabbit IgG whole molecule   |
| Konjugation              | DyLight 800   |
| Produktbeschreibung      | Dylight 800 conjugated Goat Anti-Rabbit IgG (H+L) secondary antibody...                                     |
| Klonalität               | Polyclonal  |
| Tag                      | Goat Anti-Rabbit IgG  |
| Puffer                   | Liquid in PBS, pH 7.4, containing 0.02% Sodium Azide as preservative, 1% BSA as stablizer and 50% Glycerol. |
| Reinheit                 | Affinity purified using solid phase Rabbit IgG (H&L) with finally > 95% purity based on SDS-PAGE            |

|                        |   |
|------------------------|---|
| Formulierung           | Liquid solution   |
| Anwendungsbeschreibung | Optimal working dilutions should be determined experimentally by the investigator. Suggested starting 1:50-1:1000 dilutions for most fluorescent applications, while 1:10000 dilutions for fluorescent assays with LI-1:COR Odyssey equipment would be recomm |