

Bitte beachten Sie: Dieses Dokument wurde automatisch erstellt und ist kein Ersatz für das Originaldokument des Herstellers.

## Product Datasheet

### **TGF beta 2 Propeptide Antibody, AbBy Fluor 488 Conjugated, AbFluor 488, Rabbit, Polyclonal BSS-BS-0100R-BF488**

|                          |   |
|--------------------------|---|
| Artikelname              | TGF beta 2 Propeptide Antibody, AbBy Fluor 488 Conjugated, AbFluor 488, Rabbit, Polyclonal  |
| Artikelnummer            | BSS-BS-0100R-BF488  |
| Hersteller Artikelnummer | BS-0100R-BF488  |
| Alternativnummer         | BSS-BS-0100R-BF488-100,BSS-BS-0100R-BF488-20  |
| Hersteller               | Bioss   |
| Wirt                     | Rabbit  |
| Kategorie                | Antikörper  |
| Applikation              | IF, WB  |
| Spezies Reaktivität      | Human, Mouse, Rat   |
| Immunogen                | 154-197/414   |
| Konjugation              | AbFluor 488   |
| Produktbeschreibung      | Transforming Growth Factor (TGF) betas mediate many cell to cell interactions that occur during embryonic development. Three TGF betas have been identified in mammals. TGF beta 1, TGF beta 2 and TGF beta 3 are each synthesized as precursor proteins t... |
| Klonalität               | Polyclonal  |
| Konzentration            | 1ug/ul  |
| NCBI                     | <a href="#">7042</a>  |

|                        |  |
|------------------------|--|
| Puffer                 | Aqueous buffered solution containing 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. |
| Quelle                 | KLH conjugated synthetic peptide derived from human TGF-beta 2   |
| Reinheit               | Purified by Protein A.   |
| Target-Kategorie       | TGF beta 2 Propeptide  |
| Application Verdünnung | WB(1:300-5000), IF(IHC-P)(1:50-200), IF(IHC-F)(1:50-200), IF(ICC)(1:50-200)                            |